
Sakashi OHTAKI, et al. Q76301
PICKUP DEVICE
Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 1 of 11

FIG. 1



Sakashı OHTAKI, et al. Q/6301 PICKUP DEVICE

Filing Date: July 14, 2003 Darryl Mexic 202-663-7909 Page 2 of 11

FIG. 2A




FIG. 2B




FIG. 3A





FIG. 3B



PICKUP DEVICE
Filing Date: July 14, 2003
Darryl Mexic 202-663-7909

Page 3 of 11

3/11

FIG.4




FIG. 5

PHASE FUNCTION

$$\varphi(x, y) = \sum_{i=1}^{n} \varphi_{i}$$

WHERE

$$\phi i = \frac{2\pi}{\lambda 0}$$
 (DFi) $x^j y^k$

$$i = \frac{1}{2}[(j + k)^2 + j + 3k]$$

(i, j AND k ARE INTEGERS NOT LESS THAN 1)

PICKUP DEVICE

Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 4 of 11

FIG. 6





FIG. 7



PICKUP DEVICE

Filing Date: July 14, 2003

Filing Date: July 14, 2003 Darryl Mexic 202-663-7909 Page 5 of 11

5/11

FIG. 8




FIG. 9

FORMULA OF ASPHERICAL FACE

$$Z = \sum_{i=1}^{n} Z_{i}$$

WHERE


$$Z_i = (as_i) x^j y^k$$

$$i = \frac{1}{2}[(j + k)^2 + j + 3k]$$

(i, j AND k ARE INTEGERS NOT LESS THAN 1)


Sakasiii On i Aki, et al. Q/6301 PICKUP DEVICE Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 6 of 11

FIG. 10



PICKUP DEVICE
Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 7 of 11


FIG. 11



Sakashi OHTAKI, et al. Q76301
PICKUP DEVICE
Filing Date: July 14, 2003

Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 8 of 11

FIG. 12



PICKUP DEVICE
Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 9 of 11

FIG .13A






FIG .13B



Sakashi OHTAKI, et al. Q76301 PICKUP DEVICE Filing Date: July 14, 2003 Darryl Mexic 202-663-7909 Page 10 of 11

FIG. 14



Sakashi OHTAKI, et al. Q76301 PICKUP DEVICE Filing Date: July 14, 2003
Darryl Mexic 202-663-7909
Page 11 of 11

FIG.15

